

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	(rotation near angle) and (cylinder or cylindrical) and gap and (sensor or detector) and ((bias or biasing) adj magnet) and magnets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 10:53
L2	4	(rotation near angle) and oval and gap and (sensor or detector) and ((bias or biasing) adj magnet) and magnets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 10:51
L3	4	(rotation near angle) and (ellipse or elliptical) and gap and (sensor or detector) and ((bias or biasing) adj magnet) and magnets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 10:51
L4	3	3 not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 10:52
L5	932	(rotation near angle) and (cylinder or cylindrical) and gap and (sensor or detector) and magnets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 10:54
L6	61	((rotation near angle) near (sensor or detector)) and (cylinder or cylindrical) and gap and magnets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 11:06
L7	42	6 not actuator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 11:06
S1	1	("6414482").PN.	USPAT; USOCR	OR	OFF	2005/08/23 09:55
S2	1	("4983915").PN.	USPAT; USOCR	OR	OFF	2005/08/22 15:15

S3	1	S2 and stator and rotor and magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/22 15:16
S4	2	("3194990").PN.	USPAT; USOCR	OR	OFF	2005/08/23 09:56
S5	2	("0163335").PN.	USPAT; USOCR	OR	OFF	2005/08/23 09:56
S6	0	("20020163335").PN.	USPAT; USOCR	OR	OFF	2005/08/23 09:57
S7	0	("10108182").PN.	USPAT; USOCR	OR	OFF	2005/08/23 09:57
S8	0	"10108182".an.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 09:57
S9	2	"20020163335".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 10:23
S10	13135	rotor and stator and magnet and (sensor or detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:42
S11	4464	cylindrical and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:43
S12	2562	cylinder and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:43
S13	5448	S11 or S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 10:25

S14	43168	rotation adj angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 10:25
S15	318	S13 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:53
S16	844	magnet and (sensor or detector or hall) and gap and (rotation adj angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 13:53
S17	2553	(324/207.2\$).CCLS.	USPAT; USOCR	OR	OFF	2005/08/23 13:54
S18	62	S16 S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/23 14:11
S19	782	S16 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:11
S20	434	S19 and (cylinder or cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:13
S21	22954809	@ad<="20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:13
S22	310	S20 S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/23 14:14

S23	170	S22 not (optic or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:46
S24	87	S22 not coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 14:46
S25	46	S24 not S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 16:43
S26	1	("4999531").PN.	USPAT; USOCR	OR	OFF	2005/08/23 17:12
S27	2	("2920179").PN.	USPAT; USOCR	OR	OFF	2005/08/23 17:13
S28	13135	rotor and stator and magnet and (sensor or detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:42
S29	13135	rotor and stator and magnet and (sensor or detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:43
S30	4464	cylindrical and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:43
S31	2562	cylinder and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:43
S32	5448	S30 S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:44

S33	71	S32 and (first adj magnet) and (second adj magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:02
S34	8	S33 and (third adj magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 10:50
S35	63	S33 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:01
S36	1	S35 and (rotation adj angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:02
S37	9	(rotation with angle) and (first adj magnet) and (second adj magnet) and (third adj magnet) and gap and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:07
S38	2	ep-1065473-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:12
S39	1	de-19634281-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:15
S40	19192	makino.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:15

S41	165	makino-masahiro.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 11:22
S42	1	("6693424").PN.	USPAT; USOCR	OR	OFF	2005/08/24 11:23
S43	1	"6268722".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:23
S44	1	"5798639".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:24
S45	1	"6268722".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:24
S46	1	"6356073".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:24
S47	1	"6414482".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:24
S48	1	"6448762".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:26
S49	1	"6476600".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:27
S50	1	"6501265".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:27
S51	1	"6559637".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:27
S52	9	("5459399" "5798639" "6268722" "6356073" "6414482" "6448762" "6476600" "6501265" "6559637").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/24 11:28
S53	1	"5798639".PN.	USPAT; USOCR	OR	ON	2005/08/24 11:29
S54	0	("6693424").URPN.	USPAT	OR	ON	2005/08/24 11:30
S55	0	jp-2001004315-\$.did.	USPAT	OR	ON	2005/08/24 15:32
S56	5847	rotor and stator and (plurality of magnets) and gap and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:19
S57	382	S56 and (rotation adj angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:34

S58	0	S57 and (plurality adj of adj magnets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:34
S59	110	rotor and stator and (plurality of magnets) and gap and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/08/24 15:40
S60	0	rotor and stator and (plurality of magnets) and gap and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/24 15:41
S61	6956	rotor and stator and gap and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/08/24 15:43
S62	283	S61 and (plurality near magnets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:47
S63	3	S62 and (first adj magnet) and (second adj magnet) and (third adj magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:46
S64	5	S62 and (second adj magnet) and (third adj magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:46
S65	2	S64 not S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:46

S66	277	S62 not gyroscope	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:48
S67	211	S66 not pump	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:48
S68	206	S67 not impeller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:49
S69	201	S68 not levitation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:49
S70	199	S69 not (tape adj player)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:29
S71	134	S70 and (cylinder or cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:29
S72	15	S71 not motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:42
S73	119	S71 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:51

S74	119	S73 not levitator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:23
S75	119	S74 not levitate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 16:52
S76	169602	gap and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:20
S77	135386	((rotation near angle) near (detector or sensor)) or ((position adj sensor) or (position adj detector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:25
S78	16184	S76 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:22
S79	5139	S78 and magnets	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:22
S80	3749	S79 not (levitator or levitate or levitation or gyroscope or pump or (brush\$1less adj motor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:23
S81	7131	((rotation near angle) near (detector or sensor)) or ((position adj sensor) or (position adj detector)) and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:26

S82	3749	(((rotation near angle) near (detector or sensor)) or ((position adj sensor) or (position adj detector))) and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:28
S83	3694	S82 not (shimomura or nakamura or takeda or kono or kawashima or hamaoka).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:28
S84	1820	S83 and (cylinder or cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:29
S85	1819	S84 not (tape adj player)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:30
S86	1804	S85 not (tape adj head)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:31
S87	1484	S86 and @ad<="20020930"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:33
S88	1472	S87 not (fuel adj inject44 or coin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:34
S89	1410	S87 not ((fuel adj inject\$4) or coin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:35

S90	1165	S89 not (lens or camera)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:36
S91	837	S90 not optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 17:36